

### **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

What is claimed is:

1. (Currently Amended) A telecommunication network having at least a gateway node, with a first domain comprising:

a mobile application part protocol instance connected to ~~[[a]]~~ the gateway node ~~adapted~~ configured to send and receive mobile application part messages in accordance with the 3rd Generation Partnership Project (3GPP) Technical Specification (TS) 33.200, the gateway node being ~~connectable~~ connected to a second domain, wherein the gateway node is ~~adapted~~ configured to receive a mobile application part message from the first domain, to convert the received mobile application part message obtaining a secured mobile application part message, and to send the obtained message ~~towards~~ to the second domain, the gateway node further being ~~adapted~~ configured to receive a secured mobile application part message from the second domain, to extract an unsecured mobile application part message from the received secured mobile application part message and to send the extracted message ~~towards~~ to the first domain.

2. (Currently Amended) The telecommunication network according to claim 1, wherein the gateway node is ~~connectable~~ connected to a third domain and wherein the gateway node performs a selective discarding of mobile application part messages received from the first domain and destined for the third domain and a selective discarding of mobile application part messages received from the third and destined for the first domain.

3. (Currently Amended) The telecommunication network according to claim 1, wherein the gateway node performs as a firewall ~~towards~~ to the third domain.

4. (Currently Amended) The telecommunication network according to claim 1 wherein the gateway node is ~~connectable~~ connected to different domains, and levels of security are configurable for the different domains.

5. (Currently Amended) The telecommunication network according to claim [[5]] 1 wherein for a particular domain a fallback to a lower level of security than the configured level of security for the particular domain is allowable and allowing the fallback to the lower level of security is configurable for one domain independently from a configuring of an allowing of a respective fallback to a lower level of security level for another domain.

6. (Currently Amended) A gateway node ~~(MSEGA)~~ comprising an interface to a first domain of a telecommunication network for sending and receiving mobile application part messages in accordance with the 3rd Generation Partnership Project (3GPP) Technical Specification (TS) 33.200, comprising:

an interface to a second domain of the telecommunication network for sending and receiving secured mobile application part messages wherein the gateway node further comprises a conversion unit that is adapted to receive a mobile application part message via the interface [[NI]] to the first domain, to convert the received mobile application part message obtaining a secured mobile application part message, and to send the obtained message via the interface towards the second domain, the conversion unit further being ~~adapted~~ configured to receive a secured mobile application part message via the interface to the second domain, to extract an unsecured mobile application part message from the received secured mobile application part message and to send the extracted message via the interface [[NI]] towards the first domain.

7. (Previously Presented) The gateway node according to claim 6, comprising an interface to a third domain for sending and receiving mobile application part messages and a filtering unit adapted to perform a selective discarding of mobile application part messages.

8. (Currently Amended) The gateway node according to claim 6, wherein the gateway node performs as a firewall ~~towards~~ to the third domain.

9. (Currently Amended) The gateway node according to claim 6, wherein the gateway node is ~~connectable~~ connected to different domains, and the gateway node comprises a security database for storing indications of levels of security for the different domains.

10. (Currently Amended) The gateway node according to claim ~~[[10]]~~ 6, further comprising

a fallback store for storing for a particular domain and

an indication that a fallback to a lower level of security than the configured level of security for the particular domain is allowable, wherein allowing of the fallback to the lower level of security is configurable for one domain independently from an allowing of a respective fallback to a lower level of security for another domain.